

Constant current discharge (in A) @ +20°C to the end-of-discharge voltage

**Ue=1.67 V**

| No | Type block   | Discharge time |       |       |       |      |      |      |      |      |      |      |
|----|--------------|----------------|-------|-------|-------|------|------|------|------|------|------|------|
|    |              | 15'            | 30'   | 1h    | 2h    | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 24h  |
| 1  | 6x1 OPzS 50  | 61.3           | 45.7  | 29.9  | 19.0  | 14.5 | 11.9 | 10.0 | 8.8  | 7.0  | 6.0  | 3.0  |
| 2  | 6x2 OPzS 100 | 122.5          | 91.3  | 59.7  | 38.0  | 29.0 | 23.8 | 20.1 | 17.6 | 14.0 | 12.0 | 5.9  |
| 3  | 6x3 OPzS 150 | 183.8          | 137.0 | 89.6  | 57.0  | 43.5 | 35.8 | 30.1 | 26.4 | 21.0 | 18.0 | 8.9  |
| 4  | 3x3 OPzS 150 | 183.8          | 137.0 | 89.6  | 57.0  | 43.5 | 35.8 | 30.1 | 26.4 | 21.0 | 18.0 | 8.9  |
| 5  | 3x4 OPzS 200 | 245.0          | 182.7 | 119.5 | 76.1  | 58.0 | 47.7 | 40.1 | 35.2 | 28.0 | 24.0 | 11.9 |
| 6  | 3x5 OPzS 250 | 304.0          | 225.7 | 148.3 | 93.9  | 71.7 | 58.8 | 49.5 | 43.5 | 34.5 | 29.6 | 14.8 |
| 7  | 3x6 OPzS 300 | 365.9          | 272.0 | 178.2 | 112.7 | 86.2 | 70.9 | 59.7 | 52.5 | 41.6 | 35.7 | 17.8 |

**Ue=1.70 V**


| No | Type block   | Discharge time |       |       |       |      |      |      |      |      |      |      |
|----|--------------|----------------|-------|-------|-------|------|------|------|------|------|------|------|
|    |              | 15'            | 30'   | 1h    | 2h    | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 24h  |
| 1  | 6x1 OPzS 50  | 58.5           | 42.5  | 27.9  | 17.8  | 13.6 | 11.2 | 9.4  | 8.3  | 6.6  | 5.6  | 2.8  |
| 2  | 6x2 OPzS 100 | 116.9          | 85.1  | 55.7  | 35.6  | 27.2 | 22.3 | 18.8 | 16.5 | 13.1 | 11.2 | 5.6  |
| 3  | 6x3 OPzS 150 | 175.4          | 127.6 | 83.6  | 53.4  | 40.7 | 33.5 | 28.2 | 24.8 | 19.7 | 16.8 | 8.3  |
| 4  | 3x3 OPzS 150 | 175.4          | 127.6 | 83.6  | 53.4  | 40.7 | 33.5 | 28.2 | 24.8 | 19.7 | 16.8 | 8.3  |
| 5  | 3x4 OPzS 200 | 233.9          | 170.2 | 111.5 | 71.2  | 54.3 | 44.7 | 37.6 | 33.0 | 26.2 | 22.5 | 11.1 |
| 6  | 3x5 OPzS 250 | 292.6          | 213.0 | 140.3 | 89.0  | 67.9 | 55.8 | 46.9 | 41.3 | 32.7 | 28.0 | 14.0 |
| 7  | 3x6 OPzS 300 | 351.3          | 255.7 | 168.2 | 106.5 | 81.5 | 67.0 | 56.4 | 49.6 | 39.3 | 33.7 | 16.8 |

**Ue=1.75 V**

| No | Type block   | Discharge time |       |       |       |      |      |      |      |      |      |      |
|----|--------------|----------------|-------|-------|-------|------|------|------|------|------|------|------|
|    |              | 15'            | 30'   | 1h    | 2h    | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 24h  |
| 1  | 6x1 OPzS 50  | 52.5           | 38.8  | 26.4  | 17.2  | 13.2 | 10.9 | 9.2  | 8.1  | 6.6  | 5.5  | 2.7  |
| 2  | 6x2 OPzS 100 | 105.0          | 77.6  | 52.7  | 34.3  | 26.3 | 21.8 | 18.3 | 16.2 | 13.1 | 11.0 | 5.5  |
| 3  | 6x3 OPzS 150 | 157.5          | 116.4 | 79.1  | 51.5  | 39.5 | 32.7 | 27.5 | 24.3 | 19.7 | 16.6 | 8.2  |
| 4  | 3x3 OPzS 150 | 157.5          | 116.4 | 79.1  | 51.5  | 39.5 | 32.7 | 27.5 | 24.3 | 19.7 | 16.6 | 8.2  |
| 5  | 3x4 OPzS 200 | 210.0          | 155.2 | 105.5 | 68.6  | 52.6 | 43.6 | 36.7 | 32.4 | 26.2 | 22.1 | 10.9 |
| 6  | 3x5 OPzS 250 | 262.8          | 194.0 | 132.3 | 85.9  | 65.6 | 54.4 | 45.9 | 40.5 | 32.1 | 27.5 | 13.7 |
| 7  | 3x6 OPzS 300 | 315.5          | 232.9 | 158.2 | 103.5 | 78.6 | 65.3 | 55.1 | 48.5 | 38.6 | 33.1 | 16.5 |

**Ue=1.80 V**

| No | Type block   | Discharge time |       |       |      |      |      |      |      |      |      |      |
|----|--------------|----------------|-------|-------|------|------|------|------|------|------|------|------|
|    |              | 15'            | 30'   | 1h    | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 24h  |
| 1  | 6x1 OPzS 50  | 43.5           | 33.8  | 24.1  | 16.1 | 12.5 | 10.4 | 8.8  | 7.9  | 6.3  | 5.4  | 2.7  |
| 2  | 6x2 OPzS 100 | 87.1           | 67.7  | 48.3  | 32.2 | 25.1 | 20.9 | 17.7 | 15.7 | 12.5 | 10.7 | 5.3  |
| 3  | 6x3 OPzS 150 | 130.6          | 101.5 | 72.4  | 48.4 | 37.6 | 31.3 | 26.5 | 23.6 | 18.8 | 16.1 | 8.0  |
| 4  | 3x3 OPzS 150 | 130.6          | 101.5 | 72.4  | 48.4 | 37.6 | 31.3 | 26.5 | 23.6 | 18.8 | 16.1 | 8.0  |
| 5  | 3x4 OPzS 200 | 174.2          | 135.3 | 96.5  | 64.5 | 50.1 | 41.8 | 35.4 | 31.4 | 25.0 | 21.5 | 10.6 |
| 6  | 3x5 OPzS 250 | 218.0          | 169.2 | 120.4 | 80.6 | 62.7 | 52.2 | 44.2 | 39.3 | 31.3 | 26.8 | 13.3 |
| 7  | 3x6 OPzS 300 | 261.8          | 203.0 | 145.3 | 96.7 | 75.2 | 62.7 | 53.1 | 47.1 | 37.6 | 32.2 | 15.9 |



Constant current discharge (in A) @ +20°C to the end-of-discharge voltage

**Ue=1.83 V**

| No | Type block   | Discharge time |       |       |      |      |      |      |      |      |      |      |
|----|--------------|----------------|-------|-------|------|------|------|------|------|------|------|------|
|    |              | 15'            | 30'   | 1h    | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 24h  |
| 1  | 6x1 OPzS 50  | 37.1           | 29.6  | 21.9  | 15.2 | 11.9 | 10.0 | 8.5  | 7.6  | 6.1  | 5.2  | 2.6  |
| 2  | 6x2 OPzS 100 | 74.1           | 59.2  | 43.8  | 30.3 | 23.8 | 19.9 | 17.0 | 15.1 | 12.1 | 10.5 | 5.2  |
| 3  | 6x3 OPzS 150 | 111.2          | 88.8  | 65.7  | 45.5 | 35.7 | 29.9 | 25.5 | 22.7 | 18.2 | 15.7 | 7.8  |
| 4  | 3x3 OPzS 150 | 111.2          | 88.8  | 65.7  | 45.5 | 35.7 | 29.9 | 25.5 | 22.7 | 18.2 | 15.7 | 7.8  |
| 5  | 3x4 OPzS 200 | 148.3          | 118.4 | 87.6  | 60.7 | 47.6 | 39.9 | 34.0 | 30.2 | 24.3 | 21.0 | 10.3 |
| 6  | 3x5 OPzS 250 | 185.1          | 148.3 | 109.5 | 75.9 | 59.5 | 49.8 | 42.5 | 37.8 | 30.3 | 26.1 | 13.0 |
| 7  | 3x6 OPzS 300 | 222.9          | 178.1 | 131.4 | 91.5 | 71.4 | 59.8 | 50.9 | 45.3 | 36.4 | 31.4 | 15.6 |

**Ue=1.85 V**


| No | Type block   | Discharge time |       |       |      |      |      |      |      |      |      |      |
|----|--------------|----------------|-------|-------|------|------|------|------|------|------|------|------|
|    |              | 15'            | 30'   | 1h    | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 24h  |
| 1  | 6x1 OPzS 50  | 32.8           | 26.9  | 20.1  | 14.4 | 11.4 | 9.6  | 8.3  | 7.4  | 5.9  | 5.1  | 2.5  |
| 2  | 6x2 OPzS 100 | 65.7           | 53.7  | 40.2  | 28.9 | 22.8 | 19.2 | 16.5 | 14.8 | 11.8 | 10.2 | 5.0  |
| 3  | 6x3 OPzS 150 | 98.5           | 80.6  | 60.3  | 43.3 | 34.2 | 28.9 | 24.8 | 22.1 | 17.7 | 15.3 | 7.5  |
| 4  | 3x3 OPzS 150 | 98.5           | 80.6  | 60.3  | 43.3 | 34.2 | 28.9 | 24.8 | 22.1 | 17.7 | 15.3 | 7.5  |
| 5  | 3x4 OPzS 200 | 131.4          | 107.5 | 80.4  | 57.7 | 45.6 | 38.5 | 33.0 | 29.5 | 23.6 | 20.4 | 10.0 |
| 6  | 3x5 OPzS 250 | 164.2          | 134.3 | 100.5 | 72.1 | 57.0 | 48.0 | 41.3 | 36.9 | 29.4 | 25.5 | 14.5 |
| 7  | 3x6 OPzS 300 | 197.1          | 161.2 | 120.4 | 86.6 | 68.3 | 57.7 | 49.5 | 44.3 | 35.4 | 30.6 | 17.4 |

**Ue=1.87 V**

| No | Type block   | Discharge time |       |       |      |      |      |      |      |      |      |      |
|----|--------------|----------------|-------|-------|------|------|------|------|------|------|------|------|
|    |              | 15'            | 30'   | 1h    | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 24h  |
| 1  | 6x1 OPzS 50  | 28.6           | 23.9  | 18.5  | 13.7 | 10.9 | 9.2  | 7.9  | 7.1  | 5.7  | 4.9  | 2.4  |
| 2  | 6x2 OPzS 100 | 57.2           | 47.8  | 36.9  | 27.5 | 21.9 | 18.3 | 15.8 | 14.1 | 11.4 | 9.9  | 4.8  |
| 3  | 6x3 OPzS 150 | 85.8           | 71.6  | 55.4  | 41.2 | 32.8 | 27.5 | 23.6 | 21.2 | 17.1 | 14.8 | 7.2  |
| 4  | 3x3 OPzS 150 | 85.8           | 71.6  | 55.4  | 41.2 | 32.8 | 27.5 | 23.6 | 21.2 | 17.1 | 14.8 | 7.2  |
| 5  | 3x4 OPzS 200 | 114.5          | 95.5  | 73.8  | 54.9 | 43.8 | 36.7 | 31.5 | 28.2 | 22.9 | 19.8 | 9.6  |
| 6  | 3x5 OPzS 250 | 143.3          | 119.4 | 92.3  | 68.6 | 54.7 | 45.8 | 39.5 | 35.3 | 28.5 | 24.8 | 12.2 |
| 7  | 3x6 OPzS 300 | 172.2          | 143.3 | 110.5 | 82.4 | 65.7 | 55.0 | 47.3 | 42.3 | 34.2 | 29.7 | 14.6 |

**Ue=1.90 V**

| No | Type block   | Discharge time |       |      |      |      |      |      |      |      |      |      |
|----|--------------|----------------|-------|------|------|------|------|------|------|------|------|------|
|    |              | 15'            | 30'   | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 24h  |
| 1  | 6x1 OPzS 50  | 22.5           | 20.0  | 16.1 | 12.1 | 9.9  | 8.5  | 7.3  | 6.5  | 5.3  | 4.6  | 2.2  |
| 2  | 6x2 OPzS 100 | 45.1           | 40.0  | 32.2 | 24.2 | 19.8 | 16.9 | 14.6 | 13.1 | 10.6 | 9.2  | 4.4  |
| 3  | 6x3 OPzS 150 | 67.6           | 60.0  | 48.3 | 36.3 | 29.7 | 25.4 | 21.8 | 19.6 | 15.9 | 13.8 | 6.6  |
| 4  | 3x3 OPzS 150 | 67.6           | 60.0  | 48.3 | 36.3 | 29.7 | 25.4 | 21.8 | 19.6 | 15.9 | 13.8 | 6.6  |
| 5  | 3x4 OPzS 200 | 90.2           | 80.0  | 64.4 | 48.4 | 39.6 | 33.8 | 29.1 | 26.1 | 21.2 | 18.4 | 8.8  |
| 6  | 3x5 OPzS 250 | 112.5          | 99.5  | 80.5 | 60.5 | 49.4 | 42.3 | 36.4 | 32.7 | 26.5 | 23.1 | 11.2 |
| 7  | 3x6 OPzS 300 | 135.4          | 120.4 | 96.6 | 72.5 | 59.4 | 50.7 | 43.7 | 39.3 | 31.8 | 27.6 | 13.4 |



Constant power discharge in W/block (cell) @ +20°C to the end-of-discharge voltage

**Ue=1.67 V**

| No | Type block   | Discharge time |        |       |       |       |       |       |       |       |       |       |
|----|--------------|----------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|    |              | 15'            | 30'    | 1h    | 2h    | 3h    | 4h    | 5h    | 6h    | 8h    | 10h   | 24h   |
| 1  | 6x1 OPzS 50  | 638.2          | 488.6  | 324.8 | 208.8 | 161.0 | 133.2 | 113.0 | 99.6  | 79.6  | 68.2  | 33.8  |
| 2  | 6x2 OPzS 100 | 1276.2         | 977.4  | 649.8 | 417.6 | 321.6 | 266.4 | 225.6 | 199.2 | 159.0 | 136.8 | 67.8  |
| 3  | 6x3 OPzS 150 | 1914.6         | 1465.8 | 974.4 | 626.4 | 483.0 | 399.6 | 339.0 | 298.8 | 238.8 | 204.6 | 101.4 |
| 4  | 3x3 OPzS 150 | 957.3          | 732.9  | 487.2 | 313.2 | 241.5 | 199.8 | 169.5 | 149.4 | 119.4 | 102.3 | 50.7  |
| 5  | 3x4 OPzS 200 | 1276.2         | 977.4  | 649.5 | 417.6 | 321.9 | 266.4 | 225.9 | 198.9 | 159.3 | 136.5 | 67.8  |
| 6  | 3x5 OPzS 250 | 1581.9         | 1205.4 | 801.6 | 516.3 | 396.6 | 330.3 | 278.7 | 246.0 | 195.9 | 168.6 | 84.3  |
| 7  | 3x6 OPzS 300 | 1902.9         | 1451.1 | 961.5 | 622.2 | 477.0 | 394.8 | 334.8 | 296.7 | 236.1 | 203.4 | 101.7 |

**Ue=1.70 V**


| No | Type block   | Discharge time |        |       |       |       |       |       |       |       |       |      |
|----|--------------|----------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|------|
|    |              | 15'            | 30'    | 1h    | 2h    | 3h    | 4h    | 5h    | 6h    | 8h    | 10h   | 24h  |
| 1  | 6x1 OPzS 50  | 609.2          | 455.2  | 303.0 | 195.4 | 150.6 | 124.8 | 105.8 | 93.2  | 74.6  | 64.0  | 31.8 |
| 2  | 6x2 OPzS 100 | 1218.0         | 910.8  | 606.0 | 391.2 | 301.2 | 249.6 | 211.2 | 186.6 | 148.8 | 127.8 | 63.6 |
| 3  | 6x3 OPzS 150 | 1827.6         | 1365.6 | 909.0 | 586.2 | 451.8 | 374.4 | 317.4 | 279.6 | 223.8 | 192.0 | 95.4 |
| 4  | 3x3 OPzS 150 | 913.8          | 682.8  | 454.5 | 293.1 | 225.9 | 187.2 | 158.7 | 139.8 | 111.9 | 96.0  | 47.7 |
| 5  | 3x4 OPzS 200 | 1218.3         | 910.5  | 606.0 | 390.9 | 301.5 | 249.3 | 211.5 | 186.3 | 149.1 | 127.8 | 63.6 |
| 6  | 3x5 OPzS 250 | 1522.8         | 1137.3 | 758.4 | 489.6 | 375.9 | 313.2 | 264.3 | 233.1 | 185.7 | 159.9 | 80.1 |
| 7  | 3x6 OPzS 300 | 1827.3         | 1364.4 | 907.5 | 588.0 | 450.6 | 372.9 | 316.2 | 280.2 | 222.9 | 192.0 | 96.0 |

**Ue=1.75 V**

| No | Type block   | Discharge time |        |       |       |       |       |       |       |       |       |      |
|----|--------------|----------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|------|
|    |              | 15'            | 30'    | 1h    | 2h    | 3h    | 4h    | 5h    | 6h    | 8h    | 10h   | 24h  |
| 1  | 6x1 OPzS 50  | 565.8          | 421.0  | 288.0 | 189.6 | 147.2 | 122.4 | 104.0 | 91.8  | 75.0  | 63.2  | 31.2 |
| 2  | 6x2 OPzS 100 | 1131.6         | 841.8  | 576.0 | 379.2 | 294.0 | 244.8 | 208.2 | 183.6 | 150.0 | 126.6 | 62.4 |
| 3  | 6x3 OPzS 150 | 1697.4         | 1263.0 | 864.0 | 568.8 | 441.6 | 367.2 | 312.0 | 275.4 | 225.0 | 189.6 | 93.6 |
| 4  | 3x3 OPzS 150 | 848.7          | 631.5  | 432.0 | 284.4 | 220.8 | 183.6 | 156.0 | 137.7 | 112.5 | 94.8  | 46.8 |
| 5  | 3x4 OPzS 200 | 1131.6         | 841.8  | 576.3 | 379.2 | 294.3 | 244.5 | 207.9 | 183.6 | 150.0 | 126.3 | 62.4 |
| 6  | 3x5 OPzS 250 | 1403.4         | 1050.9 | 719.4 | 474.6 | 366.9 | 304.2 | 259.8 | 229.5 | 183.6 | 158.1 | 78.9 |
| 7  | 3x6 OPzS 300 | 1683.9         | 1259.7 | 865.8 | 570.0 | 438.6 | 366.9 | 310.2 | 275.7 | 220.2 | 189.9 | 94.5 |

**Ue=1.80 V**

| No | Type block   | Discharge time |        |       |       |       |       |       |       |       |       |      |
|----|--------------|----------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|------|
|    |              | 15'            | 30'    | 1h    | 2h    | 3h    | 4h    | 5h    | 6h    | 8h    | 10h   | 24h  |
| 1  | 6x1 OPzS 50  | 476.2          | 370.2  | 265.6 | 180.6 | 140.8 | 118.0 | 100.6 | 89.4  | 71.8  | 61.8  | 30.6 |
| 2  | 6x2 OPzS 100 | 952.8          | 740.4  | 531.6 | 361.2 | 281.4 | 235.8 | 201.0 | 178.8 | 144.0 | 123.6 | 61.2 |
| 3  | 6x3 OPzS 150 | 1428.6         | 1110.6 | 796.8 | 541.8 | 422.4 | 354.0 | 301.8 | 268.2 | 215.4 | 185.4 | 91.8 |
| 4  | 3x3 OPzS 150 | 714.3          | 555.3  | 398.4 | 270.9 | 211.2 | 177.0 | 150.9 | 134.1 | 107.7 | 92.7  | 45.9 |
| 5  | 3x4 OPzS 200 | 952.5          | 740.4  | 531.3 | 361.2 | 281.7 | 236.1 | 201.0 | 178.5 | 143.7 | 123.6 | 61.2 |
| 6  | 3x5 OPzS 250 | 1191.3         | 925.5  | 665.7 | 450.6 | 352.2 | 295.2 | 251.4 | 223.5 | 179.7 | 154.2 | 77.1 |
| 7  | 3x6 OPzS 300 | 1430.1         | 1110.6 | 800.1 | 540.3 | 423.6 | 354.9 | 301.2 | 268.2 | 215.7 | 184.8 | 92.4 |



Constant power discharge in W/block (cell) @ +20°C to the end-of-discharge voltage

**Ue=1.83 V**

| No | Type block   | Discharge time |       |       |       |       |       |       |       |       |       |      |
|----|--------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
|    |              | 15'            | 30'   | 1h    | 2h    | 3h    | 4h    | 5h    | 6h    | 8h    | 10h   | 24h  |
| 1  | 6x1 OPzS 50  | 410.6          | 329.8 | 243.4 | 171.6 | 135.4 | 113.8 | 97.2  | 86.6  | 70.0  | 60.6  | 30.0 |
| 2  | 6x2 OPzS 100 | 821.4          | 660.0 | 486.6 | 343.2 | 270.6 | 227.4 | 194.4 | 173.4 | 140.4 | 121.2 | 60.0 |
| 3  | 6x3 OPzS 150 | 1231.8         | 989.4 | 730.2 | 514.8 | 406.2 | 341.4 | 291.6 | 259.8 | 210.0 | 181.8 | 90.0 |
| 4  | 3x3 OPzS 150 | 615.9          | 494.7 | 365.1 | 257.4 | 203.1 | 170.7 | 145.8 | 129.9 | 105.0 | 90.9  | 45.0 |
| 5  | 3x4 OPzS 200 | 821.1          | 659.7 | 486.6 | 343.2 | 270.6 | 227.7 | 194.4 | 173.4 | 140.1 | 121.5 | 60.0 |
| 6  | 3x5 OPzS 250 | 1024.2         | 823.8 | 609.0 | 426.9 | 337.2 | 284.4 | 242.7 | 216.6 | 175.2 | 151.8 | 75.6 |
| 7  | 3x6 OPzS 300 | 1230.3         | 988.2 | 731.4 | 513.3 | 405.9 | 340.2 | 290.7 | 259.8 | 210.3 | 182.1 | 90.3 |

**Ue=1.85 V**

| No | Type block   | Discharge time |       |       |       |       |       |       |       |       |       |       |
|----|--------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|    |              | 15'            | 30'   | 1h    | 2h    | 3h    | 4h    | 5h    | 6h    | 8h    | 10h   | 24h   |
| 1  | 6x1 OPzS 50  | 367.2          | 301.6 | 225.4 | 164.2 | 130.6 | 110.4 | 94.8  | 85.0  | 68.4  | 59.4  | 29.0  |
| 2  | 6x2 OPzS 100 | 734.4          | 603.0 | 450.6 | 328.2 | 261.0 | 220.8 | 189.6 | 169.8 | 136.8 | 118.8 | 58.2  |
| 3  | 6x3 OPzS 150 | 1101.6         | 904.8 | 676.2 | 492.6 | 391.8 | 331.2 | 284.4 | 255.0 | 205.2 | 178.2 | 87.0  |
| 4  | 3x3 OPzS 150 | 550.8          | 452.4 | 338.1 | 246.3 | 195.9 | 165.6 | 142.2 | 127.5 | 102.6 | 89.1  | 43.5  |
| 5  | 3x4 OPzS 200 | 734.4          | 603.0 | 450.9 | 328.2 | 261.0 | 220.8 | 189.6 | 170.1 | 136.8 | 118.8 | 58.2  |
| 6  | 3x5 OPzS 250 | 919.8          | 752.4 | 564.3 | 408.9 | 325.2 | 276.0 | 237.0 | 212.4 | 171.0 | 148.5 | 84.9  |
| 7  | 3x6 OPzS 300 | 1101.9         | 904.5 | 677.7 | 489.6 | 390.9 | 331.2 | 284.7 | 254.7 | 205.5 | 178.2 | 102.0 |

**Ue=1.87 V**

| No | Type block   | Discharge time |       |       |       |       |       |       |       |       |       |      |
|----|--------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
|    |              | 15'            | 30'   | 1h    | 2h    | 3h    | 4h    | 5h    | 6h    | 8h    | 10h   | 24h  |
| 1  | 6x1 OPzS 50  | 324.0          | 270.2 | 210.4 | 156.6 | 126.0 | 106.2 | 91.6  | 82.0  | 66.6  | 58.2  | 28.2 |
| 2  | 6x2 OPzS 100 | 648.0          | 540.6 | 421.2 | 313.2 | 252.0 | 212.4 | 183.0 | 163.8 | 133.2 | 116.4 | 56.4 |
| 3  | 6x3 OPzS 150 | 972.0          | 810.6 | 631.2 | 469.8 | 378.0 | 318.6 | 274.8 | 246.0 | 199.8 | 174.6 | 84.6 |
| 4  | 3x3 OPzS 150 | 486.0          | 405.3 | 315.6 | 234.9 | 189.0 | 159.3 | 137.4 | 123.0 | 99.9  | 87.3  | 42.3 |
| 5  | 3x4 OPzS 200 | 648.0          | 540.3 | 420.9 | 313.5 | 252.3 | 212.4 | 183.3 | 164.1 | 133.2 | 116.4 | 56.7 |
| 6  | 3x5 OPzS 250 | 809.1          | 677.7 | 525.3 | 393.9 | 316.2 | 265.5 | 228.6 | 204.9 | 166.5 | 145.5 | 72.0 |
| 7  | 3x6 OPzS 300 | 970.5          | 812.1 | 630.0 | 471.6 | 378.9 | 319.2 | 274.8 | 246.0 | 199.8 | 174.3 | 86.1 |

**Ue=1.90 V**

| No | Type block   | Discharge time |       |       |       |       |       |       |       |       |       |      |
|----|--------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
|    |              | 15'            | 30'   | 1h    | 2h    | 3h    | 4h    | 5h    | 6h    | 8h    | 10h   | 24h  |
| 1  | 6x1 OPzS 50  | 258.2          | 229.8 | 185.0 | 140.2 | 115.2 | 98.6  | 85.2  | 76.6  | 62.4  | 54.4  | 26.6 |
| 2  | 6x2 OPzS 100 | 516.6          | 459.6 | 370.2 | 280.2 | 230.4 | 197.4 | 170.4 | 153.0 | 124.8 | 108.6 | 52.8 |
| 3  | 6x3 OPzS 150 | 774.6          | 689.4 | 555.0 | 420.6 | 345.6 | 295.8 | 255.6 | 229.8 | 187.2 | 163.2 | 79.8 |
| 4  | 3x3 OPzS 150 | 387.3          | 344.7 | 277.5 | 210.3 | 172.8 | 147.9 | 127.8 | 114.9 | 93.6  | 81.6  | 39.9 |
| 5  | 3x4 OPzS 200 | 516.6          | 459.6 | 370.2 | 280.2 | 230.4 | 197.1 | 170.4 | 153.3 | 124.5 | 108.9 | 53.1 |
| 6  | 3x5 OPzS 250 | 645.0          | 573.3 | 462.6 | 349.2 | 288.0 | 246.3 | 213.0 | 191.7 | 156.0 | 136.2 | 67.2 |
| 7  | 3x6 OPzS 300 | 773.4          | 686.7 | 555.3 | 420.9 | 346.2 | 295.8 | 255.3 | 230.1 | 187.2 | 163.5 | 80.7 |



**Head quarter**

**BATER Ltd**

ul. Dźwigowa 63,  
01-376 Warszawa  
tel.: +48 22 664 87 87  
fax: +48 22 664 87 87  
e-mail: [biuro@bater.pl](mailto:biuro@bater.pl)  
[www.bater.pl](http://www.bater.pl)

**Mechanical factory**

ul. Dźwigowa 63,  
01-376 Warszawa  
tel.: +48 22 664 87 87 w.41  
fax: +48 22 664 87 87  
GPS 52°13.07N, 20°54.86E



**Battery factory BATER Gliwice**

ul. Pszczyńska 309,  
44-100 Gliwice  
tel.: +48 32 232 12 40  
fax: +48 32 232 12 40 w. 29  
e-mail: [biuro@bater.pl](mailto:biuro@bater.pl)  
GPS 50°16.14N, 18°43.19E